

**From:** Jcarter@TechLawInc.com  
**Sent:** 1/5/2012 2:38:37 PM  
**To:** "Fred Foreman" <Foreman.Fred@epamail.epa.gov>; "Nance, Gene" <Gnance@TechLawInc.com>  
**CC:** "Gary Newhart" <Newhart.Gary@epamail.epa.gov>; "Ralph Ludwig" <Ludwig.Ralph@epamail.epa.gov>;  
"Richard Rupert" <Rupert.Richard@epamail.epa.gov>; "Graves, Suddha" <Sgraves@TechLawInc.com>  
**Subject:** RE: Conference Call For Dimock Residential Well Site

All, attached please find revised SAP Table Nos. 1 & 2 to be used for reference during the conference call.

Regards,

Joe Carter  
TechLaw, Inc.

**From:** Fred Foreman [mailto:Foreman.Fred@epamail.epa.gov]  
**Sent:** Thursday, January 05, 2012 12:05 PM  
**To:** Nance, Gene  
**Cc:** Gary Newhart; Carter, Joe; Ralph Ludwig; Richard Rupert; Graves, Suddha  
**Subject:** RE: Conference Call For Dimock Residential Well Site

Gene,  
Please forward me any documents that might be referenced during the call.

Thanks

Fred Foreman, Chief  
Technical Services Branch  
Office of Analytical Services & Quality Assurance  
US EPA Region III  
Ft. Meade, Maryland  
410-305-2629

**From:** Fred Foreman/ESC/R3/USEPA/US  
**To:** "Nance, Gene" <Gnance@TechLawInc.com>  
**Cc:** Gary Newhart/CI/USEPA/US@EPA, "Carter, Joe" <Jcarter@TechLawInc.com>, Ralph Ludwig/ADA/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, "Graves, Suddha" <Sgraves@TechLawInc.com>  
**Date:** 01/05/2012 12:02 PM  
**Subject:** RE: Conference Call For Dimock Residential Well Site

3:00 it is.

Call me at 410-305-3024

Fred Foreman, Chief  
Technical Services Branch  
Office of Analytical Services & Quality Assurance  
US EPA Region III  
Ft. Meade, Maryland  
410-305-2629

**From:** "Nance, Gene" <Gnance@TechLawInc.com>  
**To:** Fred Foreman/ESC/R3/USEPA/US@EPA  
**Cc:** Gary Newhart/CI/USEPA/US@EPA, "Carter, Joe" <Jcarter@TechLawInc.com>, Ralph Ludwig/ADA/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, "Graves, Suddha" <Sgraves@TechLawInc.com>

Date: 01/05/2012 11:37 AM  
Subject: RE: Conference Call For Dimock Residential Well Site

Fred,  
That time is good for us. I spoke with Dr. Ludwig earlier this morning. He had some commitments this afternoon, but would be on the call if possible.

Gene Nance  
TechLaw, Inc.  
740.867.0968 (office)  
304.830.1442 (mobile)

**From:** Fred Foreman [<mailto:Foreman.Fred@epamail.epa.gov>]  
**Sent:** Thursday, January 05, 2012 10:49 AM  
**To:** Nance, Gene  
**Cc:** Gary Newhart; Carter, Joe; Ralph Ludwig; Richard Rupert; Graves, Suddha  
**Subject:** Re: Conference Call For Dimock Residential Well Site

Gene,  
Yes. How about 3:00 this afternoon"

Fred  
Fred Foreman, Chief  
Technical Services Branch  
Office of Analytical Services & Quality Assurance  
US EPA Region III  
Ft. Meade, Maryland  
410-305-2629

From: "Nance, Gene" <[Gnance@TechLawInc.com](mailto:Gnance@TechLawInc.com)>  
To: Fred Foreman/ESC/R3/USEPA/US@EPA  
Cc: Richard Rupert/R3/USEPA/US, "Graves, Suddha" <[Sgraves@TechLawInc.com](mailto:Sgraves@TechLawInc.com)>, "Carter, Joe" <[Jcarter@TechLawInc.com](mailto:Jcarter@TechLawInc.com)>, Gary Newhart/CI/USEPA/US@EPA, Ralph Ludwig/ADA/USEPA/US@EPA  
Date: 01/05/2012 09:53 AM  
Subject: Conference Call For Dimock Residential Well Site

Fred,  
Would you be available to have a conference call this afternoon to discuss the Dimock sampling parameters?

Gene Nance  
TechLaw, Inc.  
740.867.0968 (office)  
304.830.1442 (mobile)

- SAP T1 Dimock Draft Ver 2.1.pdf      - SAP T2 Dimock Draft Ver 2.1.pdf